

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

REVOCATION OF EXISTING POWER OF ATTORNEY  
AND NEW POWER OF ATTORNEY

Commissioner for Patents  
U.S. Patent and Trademark Office  
Customer Service Window, Mail Stop \_\_\_\_\_  
Randolph Building  
401 Dulany Street  
Alexandria VA 22314

Sir:

The undersigned assignee of the entire right, title and interest in the U.S. Applications listed on the attached chart hereby revokes the outstanding Power of Attorney in these matters and appoints the attorneys and agents associated with

**Customer Number 7055**

at:

GREENBLUM & BERNSTEIN, P.L.C.  
1950 Roland Clarke Place  
Reston, Virginia 20191

to prosecute said applications and to transact all business in the Patent and Trademark Office connected therewith.

An assignment was recorded with the U.S. Patent and Trademark Office in each of these applications as shown on the attached chart.

J392801.A01

The undersigned representative is empowered to act on behalf of the assignee,  
and it is certified that to the best of the undersigned's knowledge and belief, title is in the  
assignee.

Respectfully submitted,  
NISSIN KOGYO CO., LTD.

February 28, 2006

Date

Takayoshi Shinohara

Signature

Name: Takayoshi Shinohara

Title: Leader of  
Engineering Development

U.S. APPLICATIONS ASSIGNED TO NISSIN KOGYO CO., LTD

| TITLE  | SERIAL #   | REEL   | FRAME | ATTORNEY'S<br>DOCKET # |
|--|------------|--------|-------|------------------------|
| PUMP ACTUATION MOTOR   | 10/222,908 | 013218 | 0769  | P27204                 |
| A BRAKE HYDRAULIC PRESSURE CONTROLLER<br>FOR A VEHICLE   | 10/647,508 | 014450 | 0679  | P27206                 |
| ELECTROMAGNETIC VALVE  | 10/858,477 | 015765 | 0149  | P27212                 |
| REDUCTION CASTING METHOD   | 10/384,717 | 013867 | 0563  | P27216                 |
| NORMALLY OPEN SOLENOID VALVE   | 10/858,469 | 015782 | 0339  | P27217                 |
| DISC BRAKE FOR VEHICLE   | 10/759,104 | 014899 | 0276  | P27219                 |
| WHEEL SPEED CALCULATION METHOD   | 10/728,786 | 014780 | 0213  | P27221                 |
| METHOD OF DEOXIDATION CASTING AND<br>DEOXIDATION CASTING MACHINE   | 10/652,304 | 013682 | 0693  | P27223                 |
| BRAKING APPARATUS FOR VEHICLE  | 10/652,853 | 014909 | 0541  | P27277                 |
| ABNORMALITY DETERMINING DEVICE FOR<br>LONGITUDINAL ACCELERATION SENSOR FOR<br>VEHICLE AND METHOD THEREOF               | 10/667,971 | 015564 | 0187  | P27280                 |
| SUPPORT STRUCTURE OF CONTROL BOARD   | 10/612,413 | 014635 | 0870  | P27282                 |
| ELECTRIC PARTS DRIVE CIRCUIT   | 10/705,253 | 015047 | 0135  | P27283                 |
| CALIPER BODY AND METHOD OF<br>MANUFACTURING CALIPER BODY OF<br>VEHICULAR DISC BRAKE                                    | 09/695,874 | 011576 | 0869  | P27286                 |
| DEBURRING METHOD AND AUTOMOTIVE<br>KNUCKLE   | 10/642,200 | 014400 | 0335  | P27287                 |
| PLUNGER PUMP   | 10/858,476 | 015782 | 0164  | P27290                 |
| HYDRAULIC MASTER CYLINDER FOR VEHICLE  | 10/751,648 | 015461 | 0220  | P27293                 |
| METHOD OF CASTING AND CASTING MACHINE  | 10/858,478 | 015458 | 0601  | P27345                 |
| NORMALLY CLOSED SOLENOID VALVE   | 10/887,318 | 015913 | 0279  | P27347                 |
| BRAKE CONTROL APPARATUS  | 10/756,392 | 014888 | 0795  | P27376                 |
| BRAKE FLUID PRESSURE MAINTAINING<br>APPARATUS FOR VEHICLES   | 10/720,257 | 014739 | 0756  | P27377                 |
| WHEEL SPEED SENSOR, METHOD FOR<br>PRODUCING THE SAME, TERMINAL AND<br>METHOD FOR WELDING TERMINAL AND<br>ELECTRIC WIRE | 10/761,281 | 013183 | 0828  | P27492                 |
| NORMALLY-CLOSED ELECTROMAGNETIC VALVE<br>AND MANUFACTURING METHOD  | 11/092,564 | 013682 | 0693  | P27673                 |